



BUILD TOUGH

Heavy Duty Industrial Mixer

Spinmix 500



GYROSCOPIC
MIXER



Heavy Duty Industrial Mixer

Spinmix 500

Specification

- ✓ 500mm wide opening. Max can height – BEST IN MARKET
- ✓ Minimum can height 100mm
- ✓ Fully automatic mixing cycle
- ✓ Automatic speed adjustment based on can size
- ✓ Square, oval and tall cans are no problem
- ✓ Programmable times to suit products being mixed
- ✓ Standard can width 34cm – optional up to 39cm
- ✓ Maximum product weight up to 40kg
- ✓ Door can be hinged on either side
- ✓ Power supply 230v 50Hz or 110v 60Hz
- ✓ Pull out bottom shelf for easy loading
- ✓ Cast steel main components for long life and solid reliability
- ✓ 2 Year guarantee as standard
- ✓ Revolutions from 180rpm to 380rpm
- ✓ CE & UL ready

Dimensions

Width = 80cm / Depth = 90cm / Height = 124.5cm



Operation

New simple control Logic – same across all Merris products. Strong, reliable quality.

User friendly controls, push button with screen for clear operational information and diagnostics.

Built for heavy duty applications and to run constantly for years.

Unit built around box iron frame for solid stable operations with maximum weights and will not move around. Very smooth and quiet operationally.





Heavy Duty Industrial Mixer

Spinmix 550

Dimensions

Width = 92cm / Depth = 110cm / Height = 124.5cm

Specification

- ✓ 550mm wide opening. Max can height "BEST IN MARKET"
- ✓ Fully automatic mixing cycle
- ✓ Automatic speed adjustment based on can size
- ✓ Square, oval and tall cans are no problem
- ✓ Programmable times to suit products being mixed
- ✓ Adjustable pressure to suit plastic or metal cans
- ✓ Standard can width 34cm – optional up to 48cm
- ✓ Maximum product weight up to 50kg
- ✓ Door opens inside machine footprint
- ✓ Large can shelf with 2 large rollers to ease loading
- ✓ Cast steel main components for long life and solid reliability
- ✓ Revolutions from 180rpm to 380rpm
- ✓ Power supply 230v 50Hz or 110v 60Hz
- ✓ 2 Year guarantee as standard

Operation

New simple control Logic – same across all Merris products. Strong, reliable quality.

User friendly controls, push button with screen for clear operational information and diagnostics Built for heavy duty applications and to run constantly for years.

Unit built around box iron frame for solid stable operations with maximum weights and will not move around. Very smooth and quiet operationally.

